


























# How to give the right amount of ACETAMINOPHEN (also known as Tylenol) is different depending on which medicine you plan to give.

**Dose: Give every 4 to 6 hours as needed for fever or pain. DO NOT GIVE MORE THAN 4 DOSES IN 24 HOURS.**

Do NOT use with any other medicine containing acetaminophen.

Weight	Age	Infant's Acetaminophen (160 mg / 5 mL)	Children's Acetaminophen (160 mg / 5 mL)	Children's Acetaminophen Chewables (160 mg)	Children's Acetaminophen Dissolvable Packets (160 mg / powder pack)	Adult's Acetaminophen Tablets (325 mg)	Adult's Acetaminophen Tablets (500 mg)
6 to 11 pounds (3 to 5 kilograms)	0 to 3 months	1.25 mL 	_____	_____	_____	_____	_____
12 to 17 pounds (about 5 to 7 kilograms)	4 to 11 months	2.5 mL 	_____	_____	_____	_____	_____
18 to 23 pounds (about 8 to 10 kilograms)	12 to 23 months	3.75 mL 	_____	_____	_____	_____	_____
24 to 35 pounds (about 11 to 15 kilograms)	2 to 3 years	_____	5 mL → 	1 tablet 	_____	_____	_____
36 to 47 pounds (about 16 to 21 kilograms)	4 to 5 years	_____	_____ → 7.5 mL 	1 ½ tablets 	_____	_____	_____
48 to 59 pounds (about 22 to 26 kilograms)	6 to 8 years	_____	10 mL → 	2 tablets 	2 packets 	1 tablet 	_____
60 to 71 pounds (about 27 to 32 kilograms)	9 to 10 years	_____	_____ → 12.5 mL 	2 ½ tablets 	2 packets 	1 tablet 	_____
72 to 95 pounds (about 33 to 43 kilograms)	11 years	_____	15 mL → 	3 tablets 	3 packets 	1 ½ tablets 	1 tablet 
96 pounds or more (more than 43 kilograms)	12 years or older	_____	10 mL →  and 10 mL →  <b>10 mL + 10 mL = 20 mL</b>	4 tablets 	_____	2 tablets 	1 tablet 



healthychildren.org

Powered by pediatricians. Trusted by parents.  
from the American Academy of Pediatrics